

ESTATE OFFICE

Executive Summary

GREEN CAMPUS INITIATIVES

2021



INDEX

| S.No | Description | Page No |
|------|--|---------|
| 1 | Estate Office – Vision & Mission | 3 |
| 2 | Fact Sheet - Green Campus Initiatives | 4 |
| 3 | Crescent – An Overview | 7 |
| 4 | Back up Electrical Supply | 8 |
| 5 | Renewable Energy – Solar Power Plants | 11 |
| 6 | Renewable Energy – Solar Water Heater | 14 |
| 7 | Renewable Energy – Solar Street Lights | 15 |
| 8 | Solid Waste Management | 16 |
| 9 | Solid Waste Management – Ecobin | 25 |
| 10 | Solid Waste Management – Garbage and Sanitary Incinerators | 26 |
| 11 | Solid Waste Management – Bio Gas Plant | 28 |
| 12 | Liquid Waste Management – Sewage Treatment Plant | 31 |
| 13 | E-Waste Management | 34 |
| 14 | Bio Waste Management | 35 |
| 15 | Potable Water Supply – WTP - RO | 36 |
| 16 | Rain water Harvesting | 41 |
| 17 | LED Fixtures & A/C & Elevators | 49 |
| 18 | Safety and Security Instruments (Fire Extinguisher, CCTV, Wi-Fi) | 53 |
| 19 | Transport – Pollution Free Environment | 56 |
| 20 | Carbon Foot Print and Carbon Offsetting | 63 |
| 21 | Green Campus – Tree Plantation | 65 |
| 22 | Green Buildings & Certification | 68 |
| 23 | Awards and Achievements | 72 |
| 24 | Best Practices | 74 |
| 25 | Future Plan | 75 |



ESTATE OFFICE

VISION

 B.S. Abdur Rahman Crescent Institute of Science and Technology is committed to ensure that the built infrastructure of the institute has sustainability as a core principle, both in construction and maintenance management of the campus. Estate office aspires to follow a range of sustainable design features and practices implemented to build and maintain the institute as a complete green and sustainable campus continuously.

MISSION

- Energy and Water Conservation Measures
- Establish on campus renewable energy sources like Roof-top Solar Power Plants, water heaters, street lights and Bio-Gas plants.
- Green Belt Development
- Solid Waste Management program to separate recyclable waste and dispose all waste in non-polluting, responsible manner.
- Getting all buildings certified as Green buildings (Gold rating) under USGBC-LEED / GBCI-EDGE / IGBC rating systems.
- Follow Sustainable Construction practices.



FACT SHEET

| S.No. | CRITERION |
|-------|---|
| I | Renewable Energy – Solar Power Plant |
| 1 | Roof-top Solar Power Plant I of 150kWp capacity commissioned in June 2014 at a cost |
| | of 1.32Cr. Return on Investment is 1.29Crore till 31st December 2021 |
| 2 | Roof-top Solar Power Plant II of 100kWp capacity commissioned in October 2014 at a |
| 2 | cost of 62Lacs. Return on Investment is 90.53 Lacs till 31st December 2021 |
| 3 | Roof-top Solar Power Plant III of 300kWp capacity commissioned in October 2018 at a |
| 5 | cost of 1.20Cr. Return on Investment is 97.94Lacs till 31st December 2021. |
| 4 | Roof-top Solar Power Plant IV of 100kWp capacity commissioned in October 2020 at a |
| | cost of 40Lacs. Return on Investment is 10.42 till 31st December 2021 |
| | Total power generated through the Solar PV plants is 35,62,138 units till 31st |
| 5 | December 2021, which is equal to 27% of our annual consumption of 2021 due to |
| | pandemic period |
| 6 | Avoided emission of greenhouse gases to the equivalent of 21,23,051kg CO2 due to |
| Ū | generation of renewable energy by Solar PV power plants from 2014 to 2021. |
| | Solar Street Light |
| 7 | Solar street lights 10 Nos provided near Architecture block and Staff quarters to Men's |
| | Hostel. |
| | Solar Water Heater |
| | Solar Water heaters in Hostels and staff quarters – installed capacity 36,500 liters. This |
| 8 | is equivalent to 365 electric geysers of various capacities. The power saving is |
| | estimated to be around 24 Lacs per annum. |
| II | Solid Waste Management |
| | Solid Waste Management program is implemented – to segregate and recycle organic |
| 1 | waste, paper, cartons, paper cups, soft drink tins, plastic, pet bottles, e-waste, bio- |
| | waste, etc. |
| | 250Kg Kankyo Eco bin installed in BSACIST campus for Food Waste collected from |
| 2 | mess & kitchen. 30,735Kg Compost manure collected till July 2020 and used for |
| | landscaping. |
| | Garbage incinerator machine with 50kg/hr capacity installed in solid waste |
| 3 | management yard for reducing waste product to inert ash. Daily generation 500kg/day |
| | and generated fly ash being used as manure around 22378 kg generated till December |
| | 2021. |
| | Sanitary incinerator with wet scrubber (for pollution control) is installed for disposing the |
| 4 | napkins. Wet scrubber is attached at the outlet of burner fumes where the fumes gets |
| | scrubbed in water and gets filtered to remove the harmful emissions. |



| | Bio-gas plant of 50m3 capacity for Ladies Hostel is commissioned in June 2017. The | | | |
|-----|--|--|--|--|
| 5 | gas generated is utilized in Ladies Hostel Kitchen. | | | |
| | Liquid Waste Management | | | |
| | Sewage Treatment Plant (STP) – 500KLD of water is treated and utilized for | | | |
| | | | | |
| 1 | Landscaping and flushing purpose in the University and Hostels. One plant of 250 KLD | | | |
| | capacity for Men's Hostel and another 250 KLD capacity plant for University are in | | | |
| | operation. | | | |
| 2 | Use of eco-friendly chemicals are mandatory for cleaning the campus | | | |
| IV | LED Fixtures & A/C | | | |
| 1 | LED fixtures – of around 86.31 KW capacity has been installed in all over campus in the | | | |
| | past 6 years. By usage of LED, it is reduced around 70% of less power consumption. | | | |
| 2 | Passive Infra-red motion sensor lights provided in Computer Science block lab and staff | | | |
| 2 | cabin for energy savings | | | |
| 3 | Air-conditioning split units of 5-star BEE rating is installed in various departments in the | | | |
| 3 | campus for a total of 203TR. | | | |
| 4 | All the 203 split AC units are free from ozone-depleting CFC (Chlorofluorocarbons) | | | |
| V | Green Buildings & Certification | | | |
| | All existing buildings are registered with Indian Green Building Council (IGBC) for green | | | |
| 1 | building certification under IGBC – EB rating | | | |
| | New buildings are constructed over the last six years and those under construction are | | | |
| 2 | registered with GBCI EDGE and USGBC LEED for green building certification for Gold | | | |
| | rating. | | | |
| | GBCI-EDGE Green building certification received for New Ladies Hostel & New staff | | | |
| 3 | quarters on 23.04.2018. | | | |
| | New Crescent School of Architecture block is conceived as a Net Zero Energy building | | | |
| 4 | and registered under USGBC-LEED for Gold rating certification. | | | |
| VI | Transport – Pollution Free Environment | | | |
| | To reduce pollution inside campus, 55 Nos bicycles have been provided for students to | | | |
| 1 | commute between Men's Hostel, Ladies Hostel and College Main gate. | | | |
| | Retreading of vehicle tires to extend the life of each tier is being implemented with an | | | |
| 2 | MOU with TVS Retread. | | | |
| | Battery Cars and Electric Bike provided for staff and Eco friendly Load vehicle for | | | |
| 3 | Hostel. | | | |
| | 15 Nos new AC buses, which are BS-IV compliant vehicles, have been provided for | | | |
| 4 | induction into the student transport fleet from July 2018. | | | |
| VII | Carbon Foot Print and Carbon Offsetting | | | |
| 1 | 38% of Carbon foot print is offset by the above environment – friendly measures in | | | |
| • | | | | |



| | campus and 10% Carbon Offsetting. | | |
|------|--|----------------------------------|--|
| VIII | Rain Water Harvesting | | |
| | All Buildings | | |
| XIV | Green Campus – Tree Plant | ation | |
| 1 | Planted Beema bamboo saplings for 5000sft run are | a throughout our compound to | |
| 1 | absorb dust, CO2 and to release more oxygen and to cr | eate pollution free environment. | |
| 2 | Oxy park created opposite to convention Centre by plan | ting Beema bamboo in campus | |
| 3 | Trees (More Varieties) | 1019 Nos | |
| 4 | Beema Bamboo Plants 2075 Nos | | |
| 5 | Total No.of tree planted | 3094 Nos | |
| XV | Certification & Ranking |] | |
| 1 | QS Star Rating for facilities | 5 Star | |
| 2 | QS I.Gauge Audit for facilities | Diamond | |
| 3 | All New Buildings | Edge certified | |
| 4 | UGC Swachhta 5 th Rank | | |
| 5 | AICTE- Smart & Clean Campus Award Appreciated | | |
| 6 | District Green Champion Certificate | | |
| 7 | Recognized as Beat Covid Campaign Institution | | |
| 8 | Recognized Social Entrepreneurship, Swachhta & Rural Engagement Cell (SES REC) Institution. | | |



Crescent – An Overview



Our Founder: (Alhaj. Late. Dr. B. S. Abdur Rahman)

"An uncommon man of deep conviction and perseverance his vision runs Crescent today for the benefit of the teachers, staffs, students, alumni and the society"

- Established in 1984 as Crescent Engineering College affiliated to the University of Madras and Anna University.
- It was upgraded and blossomed as B. S. Abdur Rahman Crescent Institute of Science and Technology (Deemed to be University) on its 25th silver jubilee year in 2009.
- The Institute is located in the state of Tamil Nadu in South India. Our Institute accredited with CGPA of 3.33 on four point scale at A⁺ Grade by NAAC on February 8th 2021
- 50.19 acres campus is based in what it calls "the greenest spot of Chennai", next to Aringnar Anna Zoological Park.
- Crescent Engineering College started on 12th October 1984 with intake of 180 students and sharing the facilities from existing Crescent School in the same campus.
- Formally inaugurated by M.A. Chidamabarm in the presence of DOTE Director Mr. Sivalingam, Chairman, Seethakathi Trust Mr. K.T.M.S. Abdul Cader (Thaikappa) and Founder B.S. Abdur Rahman.



During Inauguration 12th October 1984

Back up Electrical Supply

GENERATOR / POWER BACKUP

BSA Crescent Institute of Science and Technology has 11 kV HT power supply two numbers of 800 kVA transformer.



11 KV HT POWER SUPPLY /8 00 KVA TRANSFORMERS

The Institution has on-campus one indoor and outdoor diesel powered generators of 500 kVA and 750 kVA capacity which ensures uninterrupted power supply in the campus. The total setup in the institution ensures the uninterrupted power supply to the institution for its various functions. Our Institution is having their power back up (generators) unit for enough back up energy around 24×7 for protected loads. The generators turned on and all the protected electric loads seamlessly transferred to the backup power system. Electrical Maintenance department works to ensure that we have access to back up power to continue serving under any condition.



OUTDOOR DIESEL POWERED GENERATOR OF 750 KVA



INDOOR DIESEL POWERED GENERATORS OF 500 KVA

All computer labs in the Campus have backup power systems through UPS, which have adequate stand by time. All computer systems are connected to 80 numbers of "ON LINE" UPS units with total capacity of 800 kVA.





As a part of its 'Green Campus' initiative, our Institution has set up a 550 kWp grid tied Rooftop Solar PV Power Plant on its academic buildings. The plant is located in the vacant roof space of various buildings.

The outputs from all the plants are connected to the institute grid through local AC distribution boards. This output can be used anywhere in the campus. Available diesel generator set is being used to create the local grid during load shedding.

If a Solar Power Plant is connected with DG SET and the power consumption of connected Load is lower than the power generated by solar power plant, then the excess of power generated by solar power plant will reverse back to DG SET and this will lead to permanent damage of DG SET. Zero Export device has been installed to limit the surplus amount of solar power that their systems export to the DG SET.



INSTALLED ROOFTOP SOLAR PV POWER PLANT

Installed 550 kWp Rooftop solar plant shares all the power generated with DG set to reduce its dependence on diesel as fuel.

Most recently, a 100 kWp rooftop plant is installed in New Architecture Block and CIIC Block. This installation shall run in parallel to the existing 550 kWp solar plants.







New 100 KWP ROOFTOP SOLAR PLANT IN CSA & CIIC

RENEWABLE ENERGY – SOLAR POWER PLANTS

B.S. Abdur Rahman Crescent Institute of Science and Technology undertakes initiatives to obtain energy from various natural resources. The Institute is pioneer in establishing renewable energy sources to meet the energy requirement of the campus.

Three Roof top solar power plants of total capacity of 650 KWp (against the sanctioned demand of 1200 KW) are installed in our campus.



SOLAR PANEL INSTALLED AT ROOF TOP IN VARIOUS BUILDINGS









Google Satellite Map View 150kWp Solar PV Power Plant - Generation from

2014 -2021

| S.No | Year | Units Generated | Amount saved |
|------|------|-----------------|--------------|
| 1 | 2014 | 1,03,248 | 8,77,615 |
| 2 | 2015 | 2,14,937 | 18,26,969 |
| 3 | 2016 | 2,05,374 | 18,42,140 |
| 4 | 2017 | 1,93,912 | 16,57,963 |
| 5 | 2018 | 1,98,162 | 17,12,369 |
| 6 | 2019 | 1,96,269 | 16,83,398 |
| 7 | 2020 | 1,81,064 | 19,52,642 |



| | Total | 14,36,294 | 1,29,82,687 |
|---|-------|-----------|-------------|
| 8 | 2021 | 1,43,328 | 14,29,591 |

100kWp Solar PV Power Plant - Generation from 2014 -2021

| S.No | Year | Units Generated | Amount saved | |
|------|---------------|-----------------|--------------|--|
| 1 | 2014 | 17,458 | 1,48,398 | |
| 2 | 2015 | 1,46,940 | 12,48,990 | |
| 3 | 2016 | 1,50,730 | 13,56,665 | |
| 4 | 2017 | 1,41,458 | 12,08,720 | |
| 5 | 2018 | 1,50,464 | 13,00,737 | |
| 6 | 2019 | 1,42,965 | 12,26,905 | |
| 7 | 2020 | 1,29,606 | 13,95,243 | |
| 8 | 2021 1,15,222 | | 11,67,496 | |
| | Total | 9,94,843 | 90,53,154 | |

300kWp Solar PV Power Plant - Generation from 2018 -2021

| S.No | Year | Units Generated | Amount saved |
|------|-------|-----------------|--------------|
| 1 | 2018 | 41,037 | 3,74,495 |
| 2 | 2019 | 4,19,309 | 35,95,084 |
| 3 | 2020 | 2,98,201 | 31,55,265 |
| 4 | 2021 | 2,69,365 | 26,69,998 |
| | Total | 10,27,912 | 97,94,842 |

<u>New100kWp Solar PV Power Plant -</u> <u>Generation for one year 2021</u>

| Month/Year | Units Generated | Amount Saved INR |
|------------|--------------------|---------------------|
| Apr-21 | 12325 | 134096 |
| May-21 | 13358 | 152014 |
| Jun-21 | 11980 | 144838 |
| Jul-21 | 12325 | 128920 |
| Aug-21 | 12953 | 124608 |
| Sep-21 | 12508 | 114073 |
| Oct-21 | 11251 | 98671 |
| Nov-21 | 5255 | 48083 |



| Dec-21 | 11134 | 97645.2 |
|--------|--------|-----------|
| TOTAL | 103089 | 1042948.3 |

Total Solar Power Generation - 650kWp upto 31st December 2021

| Plant | Units | Amount |
|------------|-----------|-------------|
| 150Kwp | 14,36,294 | 1,29,82,687 |
| 100kWp | 9,94,843 | 90,53,154 |
| 300kWp | 10,27,912 | 97,94,842 |
| New 100kWp | 1,03,089 | 10,42,948 |
| Total | 35,62,138 | 3,28,73,631 |

The number of units generated through solar power plants constitute 16% of total electricity consumption since June 2014.

RENEWABLE ENERGY – SOLAR WATER HEATERS

Installed total capacity of 36,500 liters. This is equivalent to 365 Nos electric geysers of 2kW capacities. The power saving is estimated to be around 24 Lacs per annum.



Men's Hostel

Ladies Hostel

New Staff Quarters

| | | i C | B.S. Abdur Rahman Creescent Institute of Science & Technology Deemed to be University uk 3 of the UGC Act, 1996 |
|-----------------------|----------------|--------------------|--|
| | Men's Hostel | | |
| Block | No. of tanks | Capacity in liters | |
| A Block | 20 | 5000 | |
| B Block | 6 | 3000 | |
| C Block | 6 | 3000 | |
| D Block | 8 | 4000 | |
| Main block | 20 | 5000 | |
| PG block | 12 | 3000 | |
| | Ladies Hostel | | |
| Main block | 10 | 5000 | |
| Annexure Block | 10 | 5000 | |
| New Block Phase 1 | 11 | 2750 | |
| | Staff Quarters | | |
| New Staff Quarters | 23 | 5750 | |
| Total Capacity | 116 | 36,500Litres | |

RENEWABLE ENERGY – SOLAR STREET LIGHT

Installed towards staff quarters to Men's hostel road and Architecture block area. This project was done by our III yr. EEE students along with our Estate electrical dept. team.





Near Sports Village Road



Near Architecture Block

WASTE MANAGEMENT PRACTICES

- B.S. Abdur Rahman Crescent Institute of Science and Technology takes initiatives to manage the different types of waste generated in the campus. The waste management includes
- Solid waste management
- Liquid waste management
- E-waste management

SOLID WASTE MANAGEMENT

- B.S. Abdur Rahman Crescent Institute of Science and Technology is committed to ensure that the built infrastructure of the institute has sustainability as a core principle in maintenance management of the campus.
- Estate office aspires to follow a range of sustainable design features and practices implemented to build and maintain the institute as a complete green and sustainable campus continuously.
- The solid waste management is practiced to safely dispose the waste generated at the campus by way of segregating the waste as organic waste, recyclable waste and inert waste and processing the waste thus segregated.



- Implementation of solid waste management inside the campus is maintained by our inhouse team of Rs. 9.0 lakhs per annum is spend towards salary for the staffs.
- Every year our institute contributes waste papers towards national recycling initiative organized by ITC Ltd (paper boards & specialty paper division) which is equivalent to saving 750 trees on an average.
- Our Institute received certificate of Appreciation from Green Services Trust for partnering in implementing solid waste management project in the campus in an environment friendly manner and diverted 1,44,655 Kg of waste from landfill to recycling during the year 2017-2018.

WASTE QUANTIFICATION DATA - FROM 2016 TO 2021:

| * | Total Waste Collected: | 19,17,630 Kgs. |
|---|-------------------------|----------------|
| * | Total Organic waste: | 4,81,727 Kgs. |
| * | Total Recyclable waste: | 2,26,217 Kgs. |
| * | Total Inert waste: | 12,09,686 Kgs. |

ACTIVITIES CARRIED OUT

- Two bins system is followed for waste collection one for organic and one for recyclables.
- Collection of waste from the campus is done through a tractor and with the support of sixman power.
- The collected segregated waste will be unloaded at the waste processing yard and processed through 15 staff called as 'Green friends'.
- The waste generated at the campus will be processing as per SWM Rules 2016
- Bio-degradable waste is composted under windrow composing method.
- Recyclable waste is further segregated and disposed through vendors on need basis.
- Sanitary napkins waste is safely disposed using an incinerator fitted with wet scrubber for pollution control
- Food waste is fed in the bio gas plant and the gas is utilized for cooking purpose in the canteen
- E-waste and hazardous waste is handed over to the authorized processors and certificate of destruction as per norms is obtained from the processor.
- Supervisory staff also been engaged for coordination and awareness creation activity at the campus and 6 green friends are engaged for waste collection and maintenance of bio gas plant.



- Different types of Solid waste management Training and Awareness program conducted to college students, staff, Housekeeping workers, security and green friends.
- The harvested bio compost will be given to the estate office every month, nearly 2000kgs, for garden use
- Every month around 4000kg of recyclable waste is removed from waste yard for process.

LIQUID WASTE MANAGEMENT

- The University takes sufficient measures to treat the wastewater generated within the premises and it ensures that the treated water is reused within the campus. Estate office has established suitable and sustainable sewage treatment plants with the design features to completely treat the wastewater generated in the university.
- 2 nos. of Sewage treatment plants of 250KLD capacity are available, one for Men's Hostel and one for Institute campus.
- The sewage generated in the University is generally characterized by the presence of organic, inorganic and suspended solids.
- The chain of treatment is aimed to remove such pollutants from the wastewater so that it can be effectively reused.
- The treatment system consists of preliminary treatment system followed by the primary and secondary treatment process.
- The preliminary treatment system aims the removal of floating bodies and grits from the waste water. Bar Screens are used in the treatment plant to remove materials like plastics and other floating objects.
- The grit chambers are used to remove sand and silts from the wastewater.
- The primary sedimentation tank helps in the removal of the suspended solids.
- The biological treatment system is the secondary treatment process used in the removal of organics from the wastewater
- The suspended solids are removed using the primary sedimentation tank and after this the wastewater is subjected to biological treatment to remove the organic content from the waste.
- The secondary treatment process is incorporated with ECO-BIO BLOCK so as to increase the efficiency of the treatment system.
- The Eco-Bio Bricks helps in the attachment of bacteria in the treatment system and helps in the better removal of organic content from the wastewater.
- This attached system will also help the treatment system to handle shock loadings if there is an increase in the organic loading rate in the biological treatment system.



- The sewage treatment plant is working on the principle of attached growth aerobic system (Eco-Bio Block) followed by sand filter and carbon filter.
- The carbon and sand filter ensures that any amount of organics that is left in the wastewater is suitably adsorbed from the wastewater and it is stored in the collection tank.
- The entire Sewage Treatment Plant is periodically subjected to maintenance regularly.
- The working of all the pumps and valves are checked periodically to ensure the smooth functioning of the sewage treatment plant.
- The treated water is used for landscaping and toilet flushing purpose.
- This helps the university to reduce its dependency of fresh water from wells for gardening.
- The physical, chemical and biological characteristics of the treated water are tested to ensure the efficiency of the treatment systems.
- Some of the important parameters checked include pH, solids, Chemical oxygen demand, Biochemical oxygen demand, Nitrates, chlorides etc.
- The treated wastewater is checked periodically to ensure its quality so that it can be effectively reused for gardening and as well for the toilet flushing.

E-WASTE MANAGEMENT

- The institute takes sufficient measures to dispose the e-waste generated inside the campus properly.
- Our Institute also takes initiatives to reduce the generation of e-waste in the campus
- All obsolete electrical and electronic waste is disposed as e-waste to vendors for proper destruction without damaging the environment and certificate for such destruction and disposal are obtained.
- Electronic waste that are disposed includes
- Old TVs, computer monitors, printers, scanners, keyboards, mouse, Radio, Phones, Fax, Photocopy machines, cables from computer laboratories of various departments
- Flip flops, memory chips, motherboard, compact discs, cartridges
- Kitchen equipment from staff quarters and hostels like toasters, coffee makers, microwave ovens etc.
- Laboratory equipment's from various departments.
- Totally 2330kg E –waste generated is destructed every year.
- The condemned electronic equipment's are handed over to the estate office on a regular basis by the departments after checking or inspection by a committee consisting of Senior



Professors. Once the equipment's are certified as obsolete or non-working it is condemned and handed to estate office.

- This E waste which is collected is then disposed to vendors.
- It is also ensured that the generated E wastes are not disposed along with the other solid waste generated in the campus.
- Collection of e waste separately is a sustainable approach to prevent such waste reaching the landfills and also provides an opportunity to recycle such waste.
- The e waste collected separately is handed over to the vendors for recycling or disposal.
- The company GEMS recycling PVT Limited, Neervallur Village, Kanchipuram district, Tamilnadu collects all the waste.
- Our institute has received certificate for destruction and disposal of waste from the company for reprocessing/recycling the waste without harming the environment in an ecofriendly manner.
- A Standard Operating Procedure has been evolved for handling the waste disposal system.
- Awareness is also created among faculty, students and also office bearers on the usage of electronic goods, its usage and also on the ways that it has to be collected and disposed
- Electronic goods are put to optimum use; the minor repairs are set right by the supporting staff and the Laboratory non-teaching faculty and the major repairs, by the professional technicians, and are reused.
- The damaged computers are used by the instructors in the practical sessions. Finally, they are exchanged with the local dealers.
- UPS Batteries are recharged / repaired / exchanged by the suppliers.
- The waste compact discs are reused by civil engineering/architecture students for decoration/participation in competitions.
- Steel, Iron, Aluminum, and Wood from construction site will be sent to scrap shop and further to recycling plants.
- Steel, Iron, Aluminum, from laboratories will be sent to scrap shop and further to recycling plants.
- All the communication of the institute is through Internet within the teaching and nonteaching faculty members.
- There are hardly any floppies or CDs used for day to day operations.

DOCUMENTAL EVIDENCES FOR SOLID WASTE MANAGEMENT

The solid waste management project is intended to safely dispose the waste generated at the campus by way of segregating the waste as organic waste, recyclable waste and inert waste and processing the waste thus segregated.



Certificate of Appreciation for Recycling Paper Waste (2013-2014)

| 1 | and all | Λ | |
|----------------|--------------------------|------------------------------|------------------------------------|
| SP | | 100 | WOW AND AND AND |
| - 1 - C | in: | spiring Years | |
| Bar 2 | Certificate of | f Appreciation | |
| P 48 | 20 | 14 - 2015 | |
| ITC LT |)- (PAPER BOARDS 8 | SPECIALITY PAPER | S DIVISION) |
| | Sincerely Thank M/s. B. | S. Abdur Rahman Univ | ersity |
| for partnering | WOW-Well Being out | of Waste, a National R | ecycling Initiative |
| M | s. B.S. Abdur Rahman | University contributed 9 | 5989 kgs |
| of wast | e paper for the recyclin | g project WOW and sav | ed 132 trees. |
| - | We look forward to you | a continued support in makin | S A S GLOBAL |
| 1993- | India CLI | EAN & GREEN | ATRAAN |
| | RECYCLING O | F PAPER SAVE TREES | to the second second second second |

Certificate of Appreciation for Recycling Paper Waste (2014-2015)

NOW Certificate of Appreciation 2015 - 2016 ITC LTD- (PAPER BOARDS & SPECIALTY PAPERS DIVISION) Sincerely Thank M/s. B.S. ABDUR RAHMAN UNIVERSITY partnering WOW-Well Being Out of Waste, a National Recycling Initiative. M/s. B.S. ABDUR RAHMAN UNIVERSITY contributed 9223 kgs of waste paper for the recycling project WOW and saved 203 trees. We look forward to your continued support in making GLOBAL India CLEAN & GREEN RECYCLING OF PAPER SAVES TREES

B.S. Abdur Rahman



Certificate of Appreciation for Recycling Paper Waste (2015-2016)



Certificate of Appreciation for Recycling Paper Waste (2016-2017)



Certificate of Appreciation for Implementing Solid Waste Management Project (2017-2018)



Certificate of Appreciation for Recycling Paper Waste (2019-2020)





B.S. Abdur Rahm

Crescent

Collection of Solid Waste



Segregation of Solid Waste



Recovery of Recyclable Waste





Windrow Formation and Rotation



Training and Awareness Program for Housekeepers and Green Friends



| S.No | Year | Organic waste in Kg | Recycle waste Kg | Inert waste Kg | Total Waste in Kg |
|-------|------|---------------------------|---------------------|-------------------|-------------------------|
| 1 | 2016 | 73,924 | 34,950 | 1,03,870 | 2,12,744 |
| 2 | 2017 | 82,245 | 54,845 | 13,509 | 1,50,599 |
| 3 | 2018 | 1,24,615 | 78,098 | 19,578 | 2,22,291 |
| 4 | 2019 | 1,11,103 | 40,737 | 77,546 | 2,29,386 |
| 5 | 2020 | 65,270 | 9,016 | 3,77,583 | 4,51,869 |
| 6 | 2021 | 24,570 | 8,571 | 6,17,600 | 6,50,741 |
| TOTAL | | 4,81,727 | 2,26,217 | 12,09,686 | 19,17,630 |

WASTE COLLECTION DATA FROM 2016 TO 2021

SOLID WASTE MANAGEMENT - ECOBIN (250 KGS / DAY)



250Kg Ecobin in BSACIST for the management of food Waste

Operating Procedures

Food waste after segregate loaded and mixed with 10-15% of saw dust +0.1% Bioculum. Now the mixture lifted into feeding port of Ecobin. In the tank, mixing operation will be done with regular time intervals in a day by day using main agitator derive.

Air will pass through into the tank by using blower with regular time intervals. Repeating mixture operation for feeding 250kgs per day. After repeating the activities for 15 days' compost developed at the bottom.

Around 30,735kgs of collected compost collected till July 2020 and used for fertilizing the soil by toping up in the soil.









ECO-BIN

SOLID WASTE MANAGEMENT - GARBAGE INCINERATOR

- Garbage Incinerator machine installed in our campus/solid waste management yard with 50kg/hr. capacity reducing waste product to inert ash.
- Daily generation 500kg/day and generated fly ash being used as manure.
- Incinerated item will be less than 10% of their original bulk when reduced to ash
- Use for incinerator of waste paper, tea cup, Dry garbage and kitchen dry waste.
- Transport cost from point of work generation to disposal site are dramatically reduced.
- Around 22378Kg generated till December 2021 as an alternate solution to landfill.







SOLID WASTE MANAGEMENT - SANITARY INCINERATOR



- Incinerator machine has been installed to dispose sanitary napkins.
- Separate bins are provided in all ladies' toilets in university and in Ladies Hostel to separate the napkins from other waste.
- Wet scrubber is attached at the outlet of burner where the fumes gets scrubbed in water and gets filtered to remove the harmful emissions. Separate Napkin destroyer machine has installed in Ladies hostel 5 Nos and 1 in Medical Hall.

SOLID WASTE MANAGEMENT - BIO-GAS PLANT

A Biogas plant of 50 m³ capacity for Ladies Hostel was commissioned in June 2017. The gas generated from the plant is utilized for cooking in Ladies Hostel Mess Kitchen.





Biogas Plant



Food waste feed in to Bio Gas Plant

| BIO GAS GENERATION FOR THE PERIOD OF JUNE 2017 – DEC 21 | | | | | |
|---|----------------------------|------------------------------|------------|--|--|
| Month | Total Gas consumed(cum) | Equivalent to LPG (KG) | Cost Saved | | |
| Sep'17 | 94 | 42 | 2,601.00 | | |
| Oct'17 | 180 | 81 | 5,280.00 | | |
| Nov'17 | 366 | 164.7 | 12,062.00 | | |
| Dec'17 | 277 | 124.65 | 9,178.00 | | |
| Jan'18 | 170 | 76.5 | 5,594.57 | | |
| Feb'18 | 153 | 68.85 | 5,016.00 | | |
| Mar'18 | 186 | 83.7 | 5,756.00 | | |
| April'18 | 195 | 87.75 | 5,839.00 | | |
| May'18 | 138 | 62.1 | 4,105.00 | | |
| June'18 | 11.03 | 4.96 | 327.82 | | |
| Aug'18 | 110.814 | 49.86 | 3,296.42 | | |
| Sept'18 | 55.56 | 25 | 1,993.58 | | |
| Oct'18 | 51.196 | 23.03 | 1,941.79 | | |
| Nov'18 | 49.905 | 22.45 | 2,006.32 | | |
| Dec'18 | 17.099 | 7.69 | 608.72 | | |
| Jan'19 | 180 | 81 | 5,280.00 | | |
| Feb'19 | 366 | 164.7 | 12,062.00 | | |
| Mar'19 | 153 | 68.5 | 5,016.00 | | |

| | B.S. Abdur Rahman |
|-----------|---|
| ;* (*) (| Crescent |
| | Institute of Science & Technology Deemed to be University u/s 3 of the UGC Act, 1956 |

| Apr'19 | 360 | 162 | 10,560.00 |
|---------------------|------------|---------|-----------|
| May'19 | 178 | 80.1 | 5,510.00 |
| Jun'19 | 94 | 42 | 2,601.00 |
| July'19 | 192 | 86.4 | 5,679.00 |
| Aug'19 | 274 | 123.3 | 7,289.00 |
| Sept'19 | 186 | 83.7 | 5,170.00 |
| Oct'19 | 330 | 148.5 | 9,371.13 |
| Nov'19 | 190 | 85.5 | 5,935.50 |
| Dec'19 | 112 | 50.4 | 3,535.95 |
| Jan'20 | 92 | 41.4 | 2,139.00 |
| Feb'20 | 80 | 36 | 2,232.00 |
| March'20 | 56 | 25.2 | 1,465.00 |
| April 20 to July 20 | Dondomia | Dariad | 0 |
| April 20 to July 20 | Pandemic F | Peniou | 0 |
| Aug-20 | 28 | 12.6 | 732 |
| Sep-20 | 32 | 14.4 | 381.6 |
| Oct-20 | 34 | 15.3 | 401 |
| Nov-20 | 27 | 12.15 | 380 |
| Dec-20 | 29 | 13.05 | 366 |
| Jan-21 | 26 | 11.7 | 350 |
| Feb-21 | 34 | 15.3 | 410 |
| Mar 21-June21 | Pandemic F | Dariad | 0 |
| | Pandemic | Peniou | 0 |
| Jul-21 | 30 | 13.5 | 890 |
| Aug-21 | 42 | 18.9 | 1243 |
| Sep-21 | 60 | 27 | 1813 |
| Oct to Dec 21 | Not work | king | 0 |
| Total | 5239.6 | 2356.84 | 1,56,418 |

BIOBOX

Our Institute has established BIO BOX unit of 50Kg/day capacity in association with M/S.Kankyo Group of Companies to generate biogas from various organic solid waste.



BIOBOX- Biogas generation unit



Pyrolysis unit



PYRO-CRACKER

Our Institute has established Pyro- Cracker unit of 25 Kg / Batch capacity in association with M/S.Kanyo Group of Companies for thermal pyrolytic degradation of plastic, biomass and mixed garbage.

CSIR - CLRI SPONSORED PROJECT - BIOGAS PLANT 500 KGS/DAY (ON GOING)

Establishment of new Biogas plant 500kg/day at Men's Hostel



Erection & Commissioning stage



Process flow Diagram





NEW 500KG BIO GAS GENERATION FOR THE PERIOD OF SEP 21 to DEC 2021 IN MEN'S HOSTEL

| Month | Total Gas consumed (cum) | Equivalent to LPG (KG) | Cost Saved |
|--------|--------------------------------|---------------------------|------------|
| Sep-21 | 27 | 3.5 | 3,150 |
| Oct-21 | 150 | 10.725 | 9,652 |
| Nov-21 | 188.95 | 13.496 | 12,146 |
| Dec-21 | 320.3 | 22.87 | 20,590 |
| Total | 686.25 | 50.591 | 45,538 |



- Biogas Plant 500 kgs/day from CSIR-CLRI, Govt. of India, Chennai funded by DST New Delhi in collaboration with KANKYO Technologies.
- To handle the food waste generated from hostel kitchens and canteens
- It will generate 15-20 m3/day gas from the plant and the same will be utilized for our cooking needs at Hostel kitchens and Canteens.
- The total cost of project is 35 lakhs. (Crescent Contributed 10 lakh).

LIQUID WASTE MANAGEMENT - SEWAGE TREATMENT PLANT - 500KLD

- 2 nos. of Sewage treatment plants of 250KLD capacity are available, one for Men's Hostel and one for Institute campus. The STP is of Eco-Bio Block type. The treated water is used for landscaping and toilet flushing purpose.
- The sewage treatment plant is working on the principle of attached growth aerobic system (Eco-Bio bricks) followed by sand filter and carbon filter. The treated water is having a COD about 100 mg/L and BOD about 16 mg/L.



DETAILS OF SEWAGE TREATMENT PLANTS

Location

Capacity

Remarks



| College | 250KLD | Commissioned in 2003 as a 150KLd plant. Revamped and |
|--------------|--------|--|
| campus | | capacity increased to 250KLD in 2015 |
| Men's Hostel | 250KLD | Commissioned in 2014 |

DETAILS OF WASTEWATER GENERATION

| S.No | Location | Total water collected | Water recycled | % of water reutilized |
|------|----------------|-----------------------|----------------|-----------------------|
| 1 | College campus | 250 KL | 220KL | 90 |
| 2 | Men's Hostel | 250 KL | 220KL | 90 |

Sewage Treatment Plant Recycled Water Detail for the period 2017 to 2021

| SI.No. | Month / Year | No.of Loads | Total Qty. in (Ltrs.) | Qty. of treated water in Ltrs. |
|--------|-----------------|----------------|-----------------------------|--------------------------------|
| 1 | Nov-17 | 1318 | 1,31,80,000 | 1,35,86,000 |
| 2 | Dec-17 | 1294 | 1,29,40,000 | 1,36,68,000 |
| 3 | Jan-18 | 1213 | 1,21,30,000 | 1,11,60,000 |
| 4 | Feb-18 | 1209 | 1,20,90,000 | 1,17,80,000 |
| 5 | Mar-18 | 1281 | 1,28,10,000 | 1,20,90,000 |
| 6 | Apr-18 | 1236 | 1,23,60,000 | 1,24,00,000 |
| 7 | May-18 | 1301 | 1,30,10,000 | 1,34,61,000 |
| 8 | Jun-18 | 954 | 95,40,000 | 81,24,000 |
| 9 | Jul-18 | 1334 | 1,33,40,000 | 1,13,15,000 |
| 10 | Aug-18 | 1327 | 1,32,70,000 | 1,16,25,000 |
| 11 | Sep-18 | 1288 | 1,28,80,000 | 1,20,90,000 |
| 12 | Oct-18 | 1427 | 1,42,70,000 | 1,10,05,000 |
| 13 | Nov-18 | 1294 | 1,29,40,000 | 1,08,50,000 |
| 14 | Dec-18 | 1026 | 1,02,60,000 | 9,54,000 |
| 15 | Jan-19 | 1169 | 1,16,90,000 | 1,07,80,000 |
| 16 | Feb-19 | 1527 | 1,52,70,000 | 1,19,35,000 |

| 17 | Mar-19 | 1709 | 1,70,90,000 | 1,20,90,000 |
|----|--------|------|-------------|-------------|
| 18 | Apr-19 | 1374 | 1,37,40,000 | 1,21,52,000 |
| 19 | May-19 | 1448 | 1,44,80,000 | 1,21,83,000 |
| 20 | Jun-19 | 873 | 87,30,000 | 82,20,000 |
| 21 | Jul-19 | 1305 | 1,30,50,000 | 1,00,75,000 |
| 22 | Aug-19 | 1158 | 1,15,80,000 | 1,11,91,000 |
| 23 | Sep-19 | 1360 | 1,36,00,000 | 1,12,84,000 |
| 24 | Oct-19 | 1262 | 1,26,20,000 | 1,13,46,000 |
| 25 | Nov-19 | 1233 | 1,23,30,000 | 1,15,94,000 |
| 26 | Dec-19 | 963 | 96,30,000 | 76,56,000 |
| 27 | Jan-20 | 1028 | 1,02,80,000 | 1,12,53,000 |
| 28 | Feb-20 | 1403 | 1,40,30,000 | 1,14,39,000 |
| 29 | Mar-20 | 1194 | 1,19,40,000 | 1,16,56,000 |
| 30 | Apr-20 | 479 | 47,90,000 | 49,35,000 |
| 31 | May-20 | 589 | 58,90,000 | 54,31,000 |
| 32 | Jun-20 | 561 | 56,10,000 | 45,55,000 |
| 33 | Jul-20 | 408 | 40,80,000 | 4,45,000 |
| 34 | Aug-20 | 471 | 47,10,000 | 47,10,000 |
| 35 | Sep-20 | 409 | 40,90,000 | 51,24,200 |
| 36 | Oct-20 | 437 | 43,70,000 | 1,00,08,000 |
| 37 | Nov-20 | 229 | 22,90,000 | 96,40,000 |
| 38 | Dec-20 | 57 | 5,70,000 | 90,50,000 |
| 39 | Jan-21 | 147 | 14,70,000 | 96,10,000 |
| 40 | Feb-21 | 741 | 74,10,000 | 47,20,000 |
| 41 | Mar-21 | 1120 | 1,12,00,000 | 68,80,000 |
| 42 | Apr-21 | 755 | 75,50,000 | 8,30,000 |
| 43 | May-21 | 539 | 53,90,000 | 8,40,000 |
| 44 | Jun-21 | 510 | 51,00,000 | 7,90,000 |

B.S. Abdur Rahman Crescent Institute of Science & Technology

| | Total | 48,538 | 48,53,80,000 | 46,66,25,200 |
|----|--------|--------|--------------|--------------|
| 50 | Dec-21 | 972 | 97,20,000 | 1,16,00,000 |
| 49 | Nov-21 | 638 | 63,80,000 | 1,23,00,000 |
| 48 | Oct-21 | 875 | 87,50,000 | 1,15,50,000 |
| 47 | Sep-21 | 968 | 96,80,000 | 1,15,75,000 |
| 46 | Aug-21 | 622 | 62,20,000 | 1,06,55,000 |
| 45 | Jul-21 | 503 | 50,30,000 | 1,24,15,000 |
| | | | | |

B.S. Abdur Rahman

MIRA CARBON SEWAGE TREATMENT PLANT

Our Institute has established MIRA CARBON SEWAGE TREATMENT PLANT of **2** m³ capacity in association with M/S.Kanyo Group of Companies to treat domestic wastewater generated from the Institute.



Mira carbon sewage treatment plant

E-WASTE MANAGEMENT

All obsolete electrical and electronic waste is disposed as e-waste to vendors for proper destruction without damaging the environment and certificate for such destruction and disposal are obtained. Totally 2330kg E –waste destructed in the year 2017.

| CEMS RECYCLING (P) LTD. Certificate Of Destruction And Disposal For e-waste | |
|--|--|
| P. Budalur, Cheman Gotownig Undalur, Cheman Gotownig Unantix: J. Casa Jag Reprocessing facility: GEMS, Kancheepuran This is to certify that 1629 Kgs of electrical and electronic waste disposed from 8.5 Abdur Rahman University, dated 20/3/2017 has been reprocessed at GEMS Secycling Private Limited, Neervallur Village, Kancheepuram Dist, Tamilnadu, All the e- waste materials, were recycled as per Govt.nonns in an eco-friendly manner. Certified by, Mannar Mannan, Managing Director | <text><text><text><text><text><text><text><text><text><text><text><text></text></text></text></text></text></text></text></text></text></text></text></text> |
| Factory Address: No 167(A. Cyp. L&T. Construction Bills: Training Institute. Netoralis: Vitage, Neto Soperational Control Sile: Training Institute. Neto-Solid: vitage, Neto Soperational Control Sile: 1016(1) Vitage, Neto | Terson Incharger: A Joseph and Antonia |



CERTIFICATE FOR DESTRUCTION OF E WASTE

| | Your Trust is Our Success. |
|---|--|
| VIROGREEN | |
| www.winogreem.in | |
| | Certificate of Destruction |
| | COD No: VGIN170336 |
| | CPC8 REG No: 8-29016[1881]/1[Reg] 10/HWMD |
| Company Name: | M/s. BS Abdur Rahman Cresent Institution |
| Company Address: | Of Science Technology, |
| | GP No: 6493 from Seethakathi Estate office |
| | |
| Date Received: | |
| | VGIN-0555 |
| Date of Destruction: | 28/12/2017 |
| This document conflies that all the below me environmentally responsible manner by Viragr ee | entioned items were received and processed in an India Private Limited , Chennai |
| responsible manner, utilizing the process and ac procedures or written instructions where applica a series of spucific activities; including calle mechanical process or manual means, whereby | ow had been property diposed in an orwisemmentally upprovint available in accordance with the Company science. This "Certificate of Destruction" is issued based on editors, idontification, separation and treatment by material elements are asstructed from the TIEAS for a longer fit for original intended purpose, and recycled |
| | |
| Index Description | Qty Kgs 701 |
| | 101 |
| | |
| AMON | |
| | N |
| 7. Hora (Samanosa) | |
| Person Incharge: À. Mariaponral Designation: Watchause Manager | |
| Date: 28/17/2017 | |
| Date: 28/12/2017 | |



CERTIFICATE FOR DESTRUCTION OF E WASTE

BIO-WASTE MANAGEMENT

All biological waste generated from Life Science Department and Medical Centre is disposed as bio-waste to vendors for proper destruction without damaging the environment and certificate for such destruction and disposal are obtained.



CERTIFICATE FOR DESTRUCTION OF BIO MEDICAL WASTE

POTABLE WATER SUPPLY

BSA Crescent Institute of Science and Technology has Reverse Osmosis (RO) Plant to provide drinking water to the college and hostel. The entire college campus is facilitated with pure Reverse Osmosis (RO) drinking water with water coolers in every block to cater to the need of pure and safe drinking water to all. We have 44,500 liters / day RO systems installed in the campus and water dispensers are available in each floor in every building. Our water treatment plants provide safe drinking water at every tap on the campus. A high level of maintenance attention and regular testing ensure the quality of the water. Water treatment plant with reverse osmosis technology is available to provide quality drinking water.

| S.No | Location | Capacity Liters/Hr | Working Hours Per day | Qty. of Treated Water in liters |
|------|---|-----------------------|-----------------------------|------------------------------------|
| 1 | University Main Plant-Near to Main block | 1500 | 6 | 9000 |
| 2 | Science Block Terrace | 1000 | 5 | 5000 |
| 3 | Ladies Hostel New block Terrace | 500 | 5 | 2500 |

RO DRINKING WATER PLANTS

resce


| 4 | Men's Hostel Dining Hall | 2000 | 4 | 8000 |
|---------------------|-----------------------------|-------|---|-------|
| 5 | Men's Hostel Service block | 2000 | 5 | 10000 |
| 6 | Aeronautical Block terrace | 500 | 2 | 1000 |
| 7 | Life Sciences block terrace | 500 | 2 | 1000 |
| 8 | New architecture terrace | 2000 | 4 | 8000 |
| Total treated Water | | 10000 | | 44500 |



KBA MEN'S HOSTEL RO PLANT





TBAK LADIES HOSTEL NEW BLOCK TERRACE RO PLANT



AERONAUCTICAL BLOCK RO PLANT





ARCHITECTURE BLOCK RO PLANT



WATER DISPENSER / COOLER

WATER TREATMENT PLANT

PROTECTED WATER SUPPLY

Water Treatment plants are provided - 5 Nos. at various places in the campus to treat the water before use in toilets, quarters, Men's Hostel & Ladies hostel.

The capacity and quantity of water treated by each plant is tabled below.

| S.NO | LOCATION | CAPACITY | WORKING HOURS | REMARKS |
|------|----------------------------|----------|------------------|---------------------------|
| 1 | New staff Quarters | 5m³/hr | 10 | Commissioned in Apr -2016 |
| 2 | New ladies hostel | 5m³/hr | 12 | Commissioned in Aug -2016 |
| 3 | Men's hostel service block | 10m³/hr | 18 | Commissioned in Aug -2016 |

| | | | | B.S. Abdur Rahman Crescent Institute of Science & Technology Deemed to be University us 3 of the UGC Act, 1956 |
|---|---------------------|------------|---|---|
| 4 | VC Villa | 1m³/hr | 4 | Commissioned in Jan -2017 |
| 5 | Life Science block | 5m³/hr | 8 | Commissioned in Aug -2017 |
| | Total Treated Water | 3,35,000 L | | Liters per day |



WATER TREATMENT PLANT





| sl. No | Water Consumption / Day | 0 | |
|-----------|---|-----------|--------------------|
| INO | | Occupancy | consumption/day in |
| | Occupants | in Nos | liters |
| | College Student day scholars 45 lit/day @ 70% | | |
| 1 | usage | 3700 | 116550 |
| 2 | Ladies Hostel 125 lit/day | 470 | 58750 |
| 3 | Men's Hostel 125 lit/day | 1400 | 175000 |
| 4 | Miscellaneous (1)College/ staff 45 lit/day | 400 | 18000 |
| | (2)Estate office staff 30lit/day | 350 | 10500 |
| | (3) General workers | 280 | 8400 |
| | (4) Kitchen and canteen | 50 | 10000 |
| 5 | Quarters 125lit/day | 400 | 50000 |
| | | 7050 | 447200 |
| 6 | Floating @ 5% | 7403 | 10575 |
| | Total water consumption/day in liters | | 4,57,775 |
| | Avg water consumption per capita/day | | 62 |



RAIN WATER HARVESTING

- B.S Abdur Rahman Crescent Institute of science and technology is one of the pioneers in implementing solutions to save water.
- The institute has implemented rain water harvesting system in the campus with a strong desire to utilize the rain water at maximum extent.
- The Institute has taken tremendous efforts to reduce the water consumption and also to treat the wastewater generated within the campus so that it can be effectively reused for gardening and toilet flushing.
- In the forefront to save water, our institute of science and technology has initiated and executed the rainwater harvesting in the campus.
- Rainwater harvesting facility is done in all blocks to collect rainwater from the roof of all buildings.
- The harvested water is diverted to open wells in institute campus, Men's Hostel and ladies hostel.
- The placement of rainwater facility within the campus is decided upon by considering the profile of the land so as to drain the maximum amount of water collected with ease.
- In the buildings, sufficient plumbing connections are provided to trap the rain water from the roof tops.
- Underground connections are ensured to connect the collected water from the roof top to the rainwater recharge pit.
- It was also ensured that the rainwater harvesting structures are constructed as per the norms. The recharge pit provided to collect the rain water is series of filter bed.
- This initiative took shape when the institute faced shortage of water during summer. Cost of buying water was becoming a financial burden. The only alternative to the water crisis was to use the available water more effectively.
- The features of the recharge pit are described below.



- A mesh is provided at the inlets of rain water pipes so that solid waste/debris is prevented B.S.Abdur Rahman Crescent Institute of Science and Technology has taken initiatives to install rain water harvesting pits in the campus from entering the pit system.
- The recharge pits are of size 2m x 2m x 2m is excavated
- The recharge pit comprises different set of filter media. The filter media comprises of thick layers of boulders at the bottom followed by layers of gravels and coarse sand.
- This enables the filtration of water and also prevents the deposition of silt on the recharge pit.
- Access Manhole frames and covers are provided.
- The rain water is also stored in Underground sumps of Life Science block, Mechanical Science Block and New Staff Quarters.

RAIN WATER HARVESTING STRUCTURES AND UTILIZATION IN THE CAMPUS

B.S. Abdur Rahman Crescent Institute of Science and Technology has taken initiatives to install rain water harvesting pits in the campus.

Rain Water Harvesting

Rainwater harvesting facility is done in all blocks to collect rain water from the terrace. The harvested water is diverted to open wells in institute campus, Men's Hostel and ladies hostel. The rain water is also stored in Underground sumps of Life Science block, Mechanical Science Block and New Staff Quarters. The rain water is stored after passing through the pre-filter as shown in Figure below.

| S.No | CAMPUS/BLOCKS | Number of Rain Water Harvesting | Quantity of Water Collected(L) |
|------|-----------------------------|------------------------------------|-----------------------------------|
| 1 | College/Life Sciences Block | 1 | 10000(Approx) |
| 2 | New Architecture Block | 1 | 10000 (Approx) |
| 3 | Computer Science block | 1 | 10000 (Approx) |
| 4 | Pharmacy Block | 1 | 10000 (Approx) |





RAIN WATER FILTER DETAIL

The special features of the filtration unit connected with the rain water harvesting system is given as follow



Special Features:

- Dual Intensity Filter works on the principle of cohesive & centrifugal force.
- Works on Gravitational force (No external energy required)
- Compact in size and wall mounted
- Automatic flush out of dirt particles
- Flexibility in pipe connection to any angle and degree
- Provision of bypass valve



In our Institute Rainy filter –FL 500 is used as part of the rainwater harvesting system. The technical specifications of Model FL 500 is given below

Rainy Filter -FL 500

Technical Specifications & Parameters of Model FL 500



| 500 SQMTRS |
|----------------------------|
| 75 mm/hr |
| Cohesive Force |
| & Centrifugal force |
| Less than 2 feet of head |
| (0.060kg/cm ²) |
| 480 LPM |
| SS-304 Screen |
| 250 Microns |
| 110 MM |
| 90 MM |
| 110 MM |
| High Density Polyethylene |
| Above 90% |
| Gravity |
| |

The characteristic features of FL Series Dual Intensity RWH Filter are its capacity to take up the load up to 10 to 500 square meters of Roof area with variable intensity of rainfall of 5 to 75 mm/ hour with a discharge capacity of 10 To 480 Liters per minute.

RAIN WATER HARVESTING STRUCTURES IN CAMPUS





RAINWATER HARVESTING PIT



RAINWATER COLLECTION WELL





RAINWATER HARVESTING PIT AT LIFE SCIENCE BLOCK



FILTER UNIT IN RAINWATER HARVESTING SYSTEM (ARCHITECTURAL BLOCK)





RAINWATER COLLECTION SUMP (ARCHITECTURAL BLOCK)



FILTER UNIT IN RAINWATER HARVESTING SYSTEM (COMPUTER SCIENCE BLOCK)



Rainwater harvesting facility is done in all blocks to collect rain water from the terrace. The details are listed below.

| Rain Water Harvesting Details | | | | | |
|-------------------------------|------------------|-----------------|--|--------------------------|--|
| S.N o | Inlet Pit Detail | Area (sq. m) | Rain water filter capacity (Litres) | Location | |
| | Inlet pit-1 | 156 | 200 | | |
| Ī | Inlet pit-2 | 122 | 200 | | |
| 1 | Inlet pit-3 | 296 | 300 | Mechanical Science Block | |
| - | Inlet pit-4 | 175 | 200 | | |
| - | Inlet pit-5 | 243 | 300 | | |
| | Inlet pit-1 | 191 | 200 | | |
| 2 | Inlet pit-2 | 188 | 200 | Ladies Hostel-New Block | |
| | Inlet pit-3 | 132 | 200 | | |
| | Inlet pit-1 | 68 | 100 | | |
| Ī | Inlet pit-2 | 65 | 100 | | |
| | Inlet pit-3 | 81 | 100 | N. 6. 4 | |
| 3 | Inlet pit-4 | 66 | 100 | New Staff quarters | |
| | Inlet pit-5 | 81 | 100 | | |
| - | Inlet pit-6 | 66 | 100 | | |
| | Inlet pit-1 | 61 | 100 | | |
| - | Inlet pit-2 | 71 | 100 | | |
| Ī | Inlet pit-3 | 43 | 100 | | |
| | Inlet pit-4 | 132 | 200 | | |
| 4 | Inlet pit-5 | 132 | 200 | Men's Hostel-A&B BLOCK | |
| - | Inlet pit-6 | 43 | 100 | | |
| - | Inlet pit-7 | 71 | 100 | | |
| - | Inlet pit-8 | 61 | 100 | | |
| - | Inlet pit-1 | 297 | 300 | | |
| 5 | Inlet pit-2 | 297 | 300 | Men's Hostel -C& D BLOCK | |
| | Inlet pit-1 | 71 | 100 | | |
| | Inlet pit-2 | 71 | 100 | | |
| | Inlet pit-3 | 71 | 100 | | |
| | Inlet pit-4 | 71 | 100 | Markelle Add DO DLOOK | |
| 6 | Inlet pit-5 | 71 | 100 | Men's Hostel -PG BLOCK | |
| | Inlet pit-6 | 71 | 100 | | |
| - | Inlet pit-7 | 71 | 100 | | |
| | Inlet pit-8 | 71 | 100 | | |
| 7 | Inlet pit-1 | 275 | 300 | Pharmacy Block | |
| 8 | Inlet pit-1 | 340 | 300 | Library Block | |



ENERGY EFFICIENT APPLIANCES IN THE CAMPUS

LED Fixtures

LED light fixtures are being extensively used for all new interior renovation works in the campus. So far, 86.31 kW capacities of LED lights are fixed which provide around 80% energy saving compared to conventional lighting.

| SL NO | BUILDING | QTY | TOTAL WATTS |
|-------|------------------------------------|------|-------------|
| 1 | AUDITORIUM | 176 | 2459 |
| 2 | SCIENCE BLOCK | 280 | 3429 |
| 3 | AERO BLOCK | 563 | 6764 |
| 4 | MAIN BLOCK | 182 | 4252 |
| 5 | MBA BLOCK | 83 | 1797 |
| 6 | FIRST YEAR BLOCK | 87 | 1705 |
| 7 | LIFE SCIENCE BLOCK | 92 | 2058 |
| 8 | NEW STAFF QUARTERS | 361 | 4695 |
| 9 | LADIES HOSTEL | 614 | 7359 |
| 10 | CAMPUS STREET LIGHT | 256 | 7130 |
| 11 | MEDICAL | 27 | 429 |
| 12 | PHARMACY | 127 | 2255 |
| 13 | GM OFFICE | 47 | 910 |
| 14 | MAIN CANTEEN | 39 | 882 |
| 15 | VC OFFICE | 78 | 510 |
| 16 | VC VILLA | 37 | 393 |
| 17 | GUEST HOUSE | 37 | 680 |
| 18 | DRIVERS CABIN | 8 | 120 |
| 19 | OLD STAFF QUARTERS | 45 | 845 |
| 20 | SPORTS LIGHTING | 29 | 5800 |
| 21 | HR OFFICE | 25 | 460 |
| 22 | PARANTS WAITING HALL | 12 | 166 |
| 24 | NEW ARCHITECTURE BLOCK | 598 | 10488 |
| 25 | CIVIL YARD CLASS ROOMS | 40 | 650 |
| 26 | CSB ROOM MENS HOSTEL | 47 | 780 |
| 27 | ROBOTICS LAB | 22 | 280 |
| 28 | RESEARCH SCHOLAR ROOM CHEMISTRY | 4 | 144 |
| 29 | FOOD WASTE MANAGEMENT PLANT | 23 | 520 |
| 30 | SOLAR STREET LIGHT | 10 | 250 |
| 31 | MENS HOSTEL | 532 | 7999 |
| 32 | MBA PHASE 1 | 49 | 595 |
| 33 | MBA PHASE 2 | 170 | 3108 |
| 34 | COMPUTER SCIENCE LAB | 51 | 690 |
| 35 | PURCHASE OFFICE (EO) | 2 | 30 |
| 36 | CIIC BLOCK | 88 | 1624 |
| 37 | CIIC 2ND FLOOR STUDIO | 13 | 225 |
| 38 | DRAWING HALLS & LABS(MECH) | 60 | 709 |
| 39 | BAMBOO CAFÉ, BANYAN CAFÉ etc | 104 | 1816 |
| 40 | OUTDOOR LIGHTING | 63 | 1306 |
| | TOTAL | 5081 | 86,312 |



BEE 5-Star Rated Air Conditioners

With an emphasis to energy conservation, all split AC units purchased since the year 2012 are of BEE 5-star energy rating. The AC units are free from ozone-depleting CFC.

| MODEL | QTY | TON |
|------------------------|-----|-----|
| 1.0 TON Split Inverter | 17 | 17 |
| 1.5 Ton Split 5* | 29 | 44 |
| 2.0 Ton Split 5* | 71 | 142 |
| TOTAL | 117 | 203 |

Passive Infrared Motion Sensor Lights

Motion Sensor lights are provided in computer science lab, staff cabins and toilets for energy savings.



Staff Cabin



Computer lab

WIFI Connectivity:

In Institute, whole campus covered with 100% WIFI facility.



AIRCONDITIONING:

Total Number of unit's category wise

| S.No | Location | Type of Units | No.of |
|------|--|----------------------|-------|
| | | | Units |
| 1 | Auditorium | 75TR Chiller units | 2 |
| 2 | Auditorium | 16HP VRF Units | 1 |
| 2 | School of Life science Block 6,7th | 18HP capacity Daikin | 1 |
| | floor | make VRF system | |
| 3 | Academic Blocks | Window AC | 124 |
| 4 | Academic Blocks | Split Ac units | 217 |
| 5 | Academic Blocks | Cassette type | 32 |
| 7 | Computer science block | 12HP VRF Units | 1 |
| 8 | MBA block | 16HP VRF Units | 1 |
| 9 | MBA block | 5.5Ductable AC Units | 1 |
| 6 | School of Mechanical science Block | 5 HP capacity Daikin | 2 |
| | 1 st floor Dean room | make VRF system | |
| 7 | New Architecture block 2 nd floor | 5HP VRF Unit | 1 |
| 8 | Green Room | 2.5TR/2TR Cassette | 2 |
| 9 | Ladies Hostel | 24HP VRF unit | 1 |
| 10 | Ladies Hostel | Window AC | 4 |
| 11 | Ladies Hostel | Split AC | 17 |
| 12 | Men's Hostel | 24HP VRF unit | 2 |
| 13 | Men's Hostel | Window AC | 2 |
| 14 | Men's Hostel | Split AC | 52 |



ELEVATOR FACILITY

| S.No | Academic Building | No of Lifts |
|------|-----------------------------------|----------------|
| 1 | Auditorium | 1 |
| 2 | Science block | 1 |
| 3 | Life science block | 2 |
| 4 | Mechanical Science block | 2 |
| 5 | New Staff Quarters | 2 |
| 6 | First year block, Main, MBA block | 3 |
| 7 | New Ladies Hostel | 2 |
| 8 | New Architecture block | 2 |
| 9 | CIIC Building | 1 |
| | Total | 16 |

| S.No | Hostel Building | No of Lifts |
|------|---------------------|----------------|
| 1 | A block | 2 |
| 2 | B Block | 2 |
| 3 | C Block | 2 |
| 4 | D Block | 2 |
| 5 | Kitchen Dumb waiter | 1 |
| | Total | 9 |



SAFETY AND SECURITY MEASUREMENTS

FIRE FIGHTING AND SAFETY MEASURES

- Due to the proliferations of electronic equipment, hazardous, chemicals and high density of human activity fire safety and firefighting has assumed paramount importance. Fire can cause tremendous loss of costly equipment, structural damage to buildings besides creating panic amongst staff and students & which may also result in loss of precious lives.
- 2. With diverse and rapidly expanding laboratory facilities proper precautions need to be taken and specific appointments held responsible for fire prevention measures in each Institute/ School. Instructions herein are to be understood only as broad guidelines & each Institute is responsible for evolving detailed instructions, as specifically applicable to their Institute/ School. Institutions must also draw detailed plans for evacuation and removal of costly equipment which can be saved without endangering life besides ensuring control on students/ onlookers who may hamper Fire Fighting efforts.





Fire Installation of Fire Extinguishers in the Campus



| S.No | Location | Туре | Capacity (kg) | Qty |
|------|--------------------------|------------|------------------|----------------|
| 1 | Auditorium | ABC | 5 | 19 |
| | | ABC | 2 | 1 |
| | Total | | | 20 |
| 2 | Electrical Science Block | ABC | 5 | 8 |
| | | ABC | 2 | 16 |
| | | AFFF | 9 | 2 |
| | | ABC | 4 | 2 |
| | | CO2 | 4.5 | 1 |
| | Total | | | 29 |
| 3 | MBA Block | ABC | 5 | 16 |
| | | ABC | 2 | 1 |
| | | ABC | 4 | 3 |
| | Total | | | 20 |
| 4 | Data Centre | ABC | 10 | 1 |
| · · | | ABC | 5 | 4 |
| | | CO2 | 4.5 | 1 |
| | Total | 002 | 1.0 | 6 |
| 5 | Computer Science Block | ABC | 5 | 12 |
| | | ABC | 2 | 18 |
| | | CO2 | 4.5 | 2 |
| | | CO2 | 3.2 | 2 |
| | Total | 002 | 0.2 | 34 |
| 6 | Canteen | ABC | 5 | 3 |
| 0 | Canteen | CO2 | 4.5 | 1 |
| | Total | 002 | 4.5 | 4 |
| 7 | Pharmacy Block | ABC | 5 | 1 |
| / | Fliatiliacy block | ABC | 4 | 4 |
| | Total | ABC | 4 | 5 |
| 8 | Mechanical Science Block | ABC | 5 | 1 |
| 0 | Mechanical Science Diock | AFFF | 9 | 2 |
| | | CO2 | 4.5 | 2 |
| | | | | |
| | | CO2 DCB | 22.5 | <u>1</u> 1 |
| | | ABC | 5 4 | 14 |
| | | | 4 2 | <u>14</u> 7 |
| | Total | CO2 | ۷ | 28 |
| 9 | Power room | ABC | 5 | <u>20</u> 8 |
| 9 | FOWEI IUUIII | CO2 | 4.5 | <u> </u> |
| | | | | 2 |
| | Total | CO2 | 22.5 | <u> </u> |
| 10 | Total | | E | |
| 10 | Men's Hostel | ABC | 5 | 18 |
| | | CO2 | 4.5 | 9 |
| | Tatal | ABC | 4 | 56 |
| | Total | 400 | | 83 |
| 11 | Basic science Block | ABC | 5 | 13 |
| | | ABC | 2 | 1 |
| | | ABC | 1 | 1 |
| | Total | | | 15 |
| 12 | Estate Office | ABC | 5 | 3 |



| 13 | Life science Block | ABC | 6 | 3 |
|----|--------------------|-----|-----|-----|
| | | ABC | 4 | 5 |
| | Total | | | 8 |
| 14 | Women's Hostel | ABC | 5 | 6 |
| 15 | CIIC Block | ABC | 4 | 6 |
| 16 | Arabic College | ABC | 5 | 11 |
| | | ABC | 2 | 2 |
| | | CO2 | 4.5 | 1 |
| | Total | | | 14 |
| 17 | Architecture Block | ABC | 4 | 12 |
| | | CO2 | 4.5 | 4 |
| | Total | | | 16 |
| 18 | VC villa | ABC | 2 | 1 |
| | | CO2 | 4.5 | 1 |
| | Total | | | 2 |
| 19 | New Staff Quarters | ABC | 4 | 9 |
| | | CO2 | 4.5 | 2 |
| | Total | | | 11 |
| | Grand Total | | | 321 |

CCTV Surveillance

CCTV SYSTEM IN CAMPUS

| SI.No | Location | Nos |
|-------|---|-----|
| 1 | First year block | 2 |
| 2 | Aeronautical Block | 9 |
| 3 | Convention Centre | 15 |
| 4 | Convention centre seminar hall | 10 |
| 5 | Estate Office Road + New Architecture Block | 14 |
| 6 | GST Road | 2 |
| 7 | Computer Science Block + Library + Pharmacy Dept | 8 |
| 8 | Ladies Hostel + Staff quarters + Check post | 11 |
| 9 | Life Science /MBA block | 5 |
| 10 | Men's Hostel A Block | 25 |
| 11 | Men's Hostel B Block | 32 |
| 12 | Men's Hostel C Block | 25 |
| 13 | Men's Hostel D Block | 25 |
| 14 | Men's Hostel PG block | 18 |
| 15 | Men's Hostel Main block and passage | 31 |
| 16 | Main block | 5 |
| 17 | VC Office | 4 |
| 18 | Men's Hostel Mess | 14 |
| 19 | Arabic college | 4 |
| 20 | Exam cell | 10 |
| 21 | VC Villa | 3 |
| 22 | Innovation & Incubation centre | 16 |
| 23 | BSAU General Store | 9 |
| 24 | Medical hall | 11 |
| 25 | Store | 9 |
| 26 | S TAFF QUARTERS | 38 |



355

TRANSPORT – POLLUTION FREE ENVIRONMENT

- The Transport Department provides a safe, comfort and pleasant travel to the Institute transport users.
- Total 45 vehicles which were been used for students & staff trips, water consumption for Institute and schools. Regular follow- ups are made to provide on time Insurances, Fit condition certificate and permit to all our Institute vehicles.

| SI.No | Vehicle type | Nos |
|-------|--------------------------|-----|
| 1 | Swaraj Mazda -Non AC | 4 |
| 2 | Tempo Traveller – Non AC | 2 |
| 3 | Eicher – Non AC | 1 |
| 4 | Tempo Traveller AC | 1 |
| 5 | Bharat Benz - AC Bus | 15 |
| 6 | Eicher – AC Bus | 1 |
| 7 | Ashok Leyland AC Bus | 4 |
| 8 | Cars | 11 |
| 9 | Ambulance | 1 |
| 10 | Water Tankers | 5 |
| | Total | 45 |

- ✤ All vehicles are provided with speed governor as per RTO norms
- ✤ All vehicles except cars are provided with Neo-track software for vehicle tracking.







15 Nos. new AC buses purchased which are BS-IV (BHARAT BENZ) compliant vehicles, have been provided for induction into the student transport fleet from 2018.

Green Practices

- Students, staff using
 - a) Bicycles
 - b) Public Transport
 - c) Pedestrian Friendly Roads
- Plastic free campus
- Paperless office
- Green landscaping with trees and plants

BICYCLES: BICYCLES FOR POLLUTION-FREE ENVIRONMENT

- As a step towards complete pollution-free environment in campus, 50 numbers of bicycles are provided for use by Men's Hostel students to commute from Main gate to Hostel and to avoid two-wheelers movement inside campus.
- > Bicycles are also provided for lady's hostel inmates.
- The provisions for parking the cycles are provided both in the Main gate and also in the front gates for the benefit of the students.
- > More than 95% of the day scholars walk from the gate to their blocks
- > Only 10% of faculty members use motored vehicles.

PUBLIC TRANSPORT:

- Our Institute is located in the arterial GST Road and is well connected from all areas of Chennai city and suburbs by public transport facilities like Suburban Train and Bus terminus. Nearest Train station is Vandalur at 1km distance and Vandalur ZOO Bus terminus is situated at the Institute gate.
- Most of the day scholars and faculty members use public transport only either bus or train- for daily commuting.

PEDESTRIAN FRIENDLY ROADS:

- Roads inside campus are strictly prohibited for use of two-wheelers and four-wheelers except utility vehicles. The roads are fully used only for pedestrian purpose.
- All vehicles should be parked in the respective places allotted by the security and they are not allowed to enter beyond the barricade placed at the entrance of the campus, unless if there is an emergency or special case.



PLASTIC FREE CAMPUS:

- A policy is in place to convert our campus into a Plastic-free campus. Within the context of our Green campus policy we commit to ban the use of plastics, to reduce the environmental impact of waste plastics.
- > Usages of plastics are avoided in the canteen by serving the food in the steel plates.

PAPERLESS OFFICE:

- Electronic documentation is maintained in 50 percent of the cases. All communications to faculty members and students are through e-mails and SMS.
- The student's attendance, faculty attendance, leave applications, continuous assessment tests results and semester end exam results are all maintained through TCS ION.

GREEN LANDSCAPING WITH TREES AND PLANTS

- The campus had 909 trees before the cyclone in December 2016.A total of 341 were trees were uprooted in the cyclone. Now the total number of trees in campus is approximately 3094Nos.
- Organic Vegetable garden is formed in open land space in Men's Hostel area. The entire campus is dotted with trees, plants and lawns which are kept well maintained. Green cover is around 30 %.
- > Total campus built up area:1618024 sq.ft
- Total landscape :656876 sq.ft

The other green practices include

- Solar Power plant
- Biogas plant
- Sewage Treatment plant
- ➢ Bicycle
- E- waste Disposal
- Bio waste Disposal
- Green Building Certificate
- LED Fixtures
- Air-conditioning split units of 5-star BEE rating
- > BS-IV compliant vehicles for transportation
- > Incinerator Machine with wet scrubber for sanitary napkin disposal.



DOCUMENTAL EVIDENCES FOR GREEN PRACTICES

B.S.Abdur Rahman Crescent Institute of Science and Technology has implemented many initiatives to ensure that the campus is pollution free.



BICYCLES FOR STUDENTS

Bicycles

ECO FRIENDLY VEHICLES



Battery Operated Golf cart -3Nos



Electric Bike





Eco Friendly Load Vehicle

PUBLIC TRANSPORT





VANDALUR RAILWAY STATION

VANDLAUR ZOO BUS STOP





PEDESTRIAN FRIENDLY ROADS





PLASTIC FREE CAMPUS





PAPERLESS OFFICE – TCS ION



B.S. Abdur Rahma





Institution Vehicles

B.S. Abdur Rahmar

CARBON FOOT PRINT

| Carbon foot print / Capita | | | | | | |
|---|-----------------|--------|----------------------|--------------------|--------------|-----------------------------------|
| Activity Data | Туре | unit | GHG | Emission factor | Quantit y | CO ₂ emission /year |
| Transportation | petrol | litres | Kg CO ₂ e | 2.196 | 1300 | 2855 |
| | diesel | litres | | 2.65 | 381461 | 1010872 |
| Electricity | | kWh | Kg CO ₂ e | 1.2 | 437649 2 | 5251791 |
| Paper consumption | | kg | Kg CO ₂ e | 0.683 | 21900 | 14958 |
| Water consumption | water supply | cum | Kg CO ₂ e | 0.8 | 160611 | 128489 |
| Solid waste | | kg | Kg CO ₂ e | 3.7 | 259560 | 960372 |
| Total CO ₂ Emission Per Year | | Kg | Kg CO ₂ e | | | 7369336 |
| Over all carbon foot print / year | | Ton | | | | 7369 |
| Total population (avg) | | | | | | 7000 |
| Carbon Foot Print per capita in Ton | | | | | | 1.05 |

| National average per capita | 1.58 Ton/Capita/Year |
|--|----------------------|
| Actual CO ₂ emission | 1.05 Ton/Capita/Year |
| % of CO ₂ emission - on national avg. | 66.63% |
| % of CO_2 reduced from National avg. | 33.37% |



CARBON OFFSETTING

| Total Carbon Emission : 7369 tons/year | | | | |
|---|------|------|---|-------------------------------------|
| Classification of Green Areas | Area | Unit | CO₂ (avg.) absorption rate t/year | Total CO₂ absorption ton/year |
| Area of Tree - ref Google Map | 2 | Acre | 160 | 336 |
| Lawn & plant area | 14 | Acre | 15 | 211 |
| Beema Bamboo | 2.5 | Acre | 80 | 200 |
| Total green area in acre | 19 | Acre | | |
| Total CO ₂ Absorption | | | | 747 |
| % of CO ₂ offset within the campus | | | | 10.13% |
| % of Green Area | | | | 37.86% |

10 % of Carbon foot print is offset by the above environment – friendly measures in campus.

Calculation:

Carbon Offsetting

| Total trees green area Total Co ₂ absorption ton/year Over all carbon foot print/year (Co _{2 Emis} % of Co ₂ \rightarrow offsetting within campus (747 / 7369 X 100) Bal: 90% to be offset by planting more % of Linear area (19/50 Acres - carbor | - trees or trading | 19 Acres 747 tones 7369 tones 10.13% 38% |
|---|-----------------------|--|
| Carbon Footprint | | |
| $101a1 CO_2$ Emission per year. Ny | ⇒ <u>-</u> 369336 | 7369336 |
| | 1000 | 7369 tones |
| Total Population (Avg.) Carbon foot print per Capita in Ton = | - 7369 | 7000 (students) |
| Carbon loot print per Capita in Ton = | 7389 | 1.05 |
| National Avg. per emission Actual Co₂ Emission | - | 1.58 / ton / capita / year 1.05 / ton / capita / year |
| % of Co ₂ Emission on National Avg. 1. | X 100 - | 66.46% |
| % of Co_2 reduced from National Avg. 1 | .58 00 – 66.46 - | 33.54% |



GREEN LANDSCAPING WITH TREES AND PLANTS

The campus had 909 trees before the Vardha cyclone in December 2016. A total of 341 trees were uprooted in the cyclone. 451 trees are newly planted in the last 3 years and are being well maintained. Beema Bamboo Plants 2075 numbers has been planted in whole campus to reduce Co2.Now the total number of trees in campus is 3094 Nos. List of trees are available now in our campus and tabulated below.

| TREE NAME | TOTAL Nos |
|---------------------|-----------|
| NEEM TREE | 272 |
| PORTIA | 51 |
| TAMARIND | 22 |
| MANGO TREE | 33 |
| BRACKEN TREE | 253 |
| COCONUT TREE | 48 |
| SPIKELET | 145 |
| ASH | 40 |
| ARECA | 49 |
| CASUARINA | 36 |
| SPASMA | 6 |
| ALMONDS | 18 |
| KING TREE | 3 |
| BANYAN TREE | 4 |
| PALMYRA | 4 |
| TEAK TREE | 35 |
| BEEMA BAMBOO PLANTS | 2075 |
| TOTAL | 3094 |

List of Trees in Campus



PLANTING TREES IN THE CAMPUS





Plan showing location of new saplings planted in campus



OXYZONE CAMPUS – BEEMA BAMBOO PLANTATION

Planted bamboo saplings for 5000 run area throughout our compound to absorb dust, CO_2 and to release more oxygen and to create pollution free environment. In future, Central bus stand will produce lot of pollution inside our campus, by planting bamboo, our campus become dust free zone with good oxygen supply. Our Institute is provided first OXYZONE inside our campus. Beema Bamboo Plants 2000 Nos Planted in whole campus for CO_2 reduction.



OXY PARK

Oxy Park created in the campus opposite to Convention Centre





GREEN BUILDING IN CONSTRUCTION

Sustainable and eco-friendly campus development has been adopted with following materials

- Grass Crete: Method of laying Grass paver flooring, walkways, sidewalks and driveways to improve storm water absorption and drainage
- Ash Crete: Fly ash (recycled) content with cement is being used for all Reinforced Cement concrete works.
- Low VOC paints: Painting with low VOC less than 50gm/liter is using for all painting works -Nippon and Berger
- Engineered wood: MDF (Medium Densified Fibre) wood used for interior partition, doors and furniture's.
- Structural Insulated Panels (SIP): Foam board wall panels are used for prefab structures such as class room and indoor game space.
- Insulated Concrete Forms: GFRC Technology being adopted to construct parent waiting guest rooms and essential staff quarters.
- Steel: Steel roof panels (recyclable) used for workshop roofing.
- Composites: Roof panels made of composite materials such as foam sandwiched between two metal sheets used for prefab class room ceiling.
- Fibreglass: Fibreglass is also used in insulation in the form of Fibreglass batts for interior partition works.
- AAC Blocks: Autoclaved Aerated Concrete blocks (non- toxic product) are used for the construction of all buildings to reduce low environmental impact.
- Thermatek Roof tile: Heat Resistant Terrace tiles are used for all buildings.
- VAV system: Variable air volume HVAC system is adopted to reduce energy consumption



Grass crete





30% Roof top with Heat Resistant Tiles & Solar reflective Index (SRI) value : 97

Environment and Campus

- 1.Green open space and Landscape
- 2. Preservation of Eco system
- ✤ 3.Public space for students and staffs Cafe, Lounge, Square Garden
- 4.Recycling based campus
- 5.Enhancing sustainable consumption of available resources i.e water & Energy.
- 6.Promoting low carbon practices among campus community.
- 7.Minimizing waste and pollution through effective waste management.
- 8.Innovation in building Design with improved daylight and natural ventilation



GREEN BUILDING AND CERTIFICICATION



GBCI-EDGE GREEN BUILDING CERTIFICATION FOR LADIES HOSTEL

GBCI- EDGE CERTIFICATE FOR STAFF QUARTERS



CRESCENT SCHOOL OF ARCHITECTURE BLOCK, IS DESIGNED AS A NET ZERO ENERGY BUILDING AND REGISTERED UNDER USGBC-LEED GOLD CERTIFICATION



New Crescent School of Architecture block, is designed as a Net Zero Energy building and registered under USGBC-LEED Gold certification.





Crescent Scool of Architecture

| S.No | Name of the building | Plinth area | Covered area | Estimated cost | Date of completion | Certificate applied to |
|------|---------------------------------------|----------------|--------------|-----------------|--------------------|----------------------------|
| 1 | School of Life sciences Block | 58,000.00 | G+7 (RCC) | 110,200,00 0 | 2013 | USGBC |
| 2 | School of Mechanical science block | 135,000.0 0 | G+7 (RCC) | 310,500,00 0 | Dec 2014 | USGBC |
| 3 | VC Villa | 4,300.00 | G+1 (RCC) | 9,030,000 | May 2014 | GBCI EDGE |
| 4 | Staff Quarters - Phase 1 | 75,000.00 | G+9 (RCC) | 150,000,00 0 | May' 2015 | Received on 23.04.18 |
| 5 | New Ladies Hostel Block - Phase 1 | 50,000.00 | G+8 (RCC) | 100,000,00 0 | Dec'2015 | Received on 23.04.18 |
| 6 | New School of Architecture block | 98,000.00 | G+7 (RCC) | 196,000,00 0 | July 2017 | USGBC |



AWARDS & ACHIEVEMENTS OF THE INSTITUTE

- Mahatma Gandhi National Council of Rural Education Department of Higher Education, Ministry of Education Government of India has certified B.S. Abdur Rahman Crescent Institute of Science & Technology, Chengalpattu, has a Recognized Social Entrepreneurship, Swachhta & Rural Engagement Cell (SES REC) Institution. The Institution has successfully framed the SES REC Action Plan and constituted ten working groups for improving facilities in the Campus and the Community/Adopted Villages in the areas of Sanitation & Hygiene, Waste Management, Water Management, Energy Conservation and Greenery post COVID-19.
- Our Institute has been participated in MHRD Swacchta Ranking 2017, 2018 & 2019 for Higher Educational Institutions.
- Our institute has been ranked "5" amongst the "Cleanest Higher Educational Institutions" in the country, in the category - "Residential University" and the award was presented by the MHRD Minister/Secretary, Government of India on 3rd December 2019 at New Delhi.
- Our institute has been awarded by AICTE for the significant contribution in the " Clean & Smart Campus Award 2019"
- Our institute has been awarded by AICTE for the significant contribution in the " Jal Sakthi Abhiyan "
- Our institute has been awarded by AICTE for the significant contribution in the " One Student
 One Tree" Scheme.
- Our Institute has received the ASSOCHAM award "University of the year for Eco-Friendly Sustainable Campus" for its eco-friendly self-sustaining efforts in conserving the environment. The award was presented by Dr. Mahendra Nath Pandey, Hon'ble Minister of Skill Development and Entrepreneurship. Govt. of India.
- Our Institute has recognized as District Green Champion for Chengalpattu District in Swachhta Action Plan (SAP) Green Campus Initiative and a reward amount of Rs.5000/by the Mahatma Gandhi National Council of Rural Education (MGNCRE), Ministry of Higher Education, Government of India. The award was presented by District Collector Thiru. A.R. Rahul Nadh I.A.S., Chengalpattu District, Tamil Nadu State.
 - B.S. Abdur Rahman Crescent Institute of Science & Technology, Chengalpattu, Tamil Nadu is now a Recognized Social Entrepreneurship, Swachhta & Rural Engagement Cell (SES REC) Institution
 - B S Abdur Rahman Crescent Institute Of Science And Technology, Chengalpattu, Tamil Nadu, is now a has participated in Each One Reach One Covid Mission







BEST PRACTICES

- Roof top solar power plant's capacity is 50% of the sanctioned demand
- Green campus
- Rainwater Harvesting
- Biogas plant
- Solar water heaters
- Sewage treatment plant
- Solid, Liquid & E- waste Management
- No plastic zone
- Several measures have been initiated for Sustainability and Environment consciousness
- Green Building Certification
- Recycling of papers through ITC
- Differently-abled friendly campus
- Zero discharge of waste
- Adoption of nearby villages
- Supporting nearby village Panchayats and Government Organisations



FUTURE PLANS TO IMPROVE UPON THE GREEN CAMPUS INITIATIVES

1. Plans to improve Solid Waste Management program:

The following activities are planned in the near future to further improve solid waste management in the campus.

- Color Coding System has to be introduced for dust bins in Class Room blocks, Canteens, pathways, hostels, quarters, etc.,
- All the non-ecofriendly products shall be banned
- Volunteers from staff and students are to be identified for eco volunteering.
- A monitoring team shall be formed to focus on waste reduction and segregation,
- Small size awareness flex card to be pasted in canteen and waste generating area
- Sapling new trees plantings around college campus.
- 2. To formulate a Green Policy / Environment Policy for the campus that will guide all activities of the Institute to align with the sustainability initiatives.
- To get the B S Abdur Rahman Crescent Institute of Science and Technology certified under ISO 14001 for Environmental Management System
- To get the whole campus certified as Green Campus by competent certification authority like USGBC/GBCI.
- 5. Create ponds to save run-off rain water and utilize for routine use to reduce water procurement and increase self-sufficiency.